


Fig

Recommendations for Maintaining Postharvest Quality



Carlos H. Crisosto, Elizabeth J. Mitcham and Adel A. Kader
Department of Plant Sciences, University of California, Davis

MATURITY INDICES

Fresh market figs must be harvested when almost fully ripe to be of good eating quality. Skin color and flesh firmness are dependable maturity and ripeness indices 'Black Mission' figs should be light to dark purple rather than black and should yield to slight pressure. 'Calimyrna' figs should be yellowish-white to light yellow and firm.

QUALITY INDICES

Fresh figs' skin color and flesh firmness are related to their quality and postharvest life. Flavor is influenced by stage of ripeness and overripe figs can become undesirable due to fermentative products. Other quality indices include absence of defects (such as bird-peck, sunburn, scab, skin break, and stem shrivel), insects, and decay.

OPTIMUM TEMPERATURE

-1°C to 0°C (30°F to 32°F)
 Expedited forced-air cooling to 0°C (32°F) is strongly recommended.

OPTIMUM RELATIVE HUMIDITY

90-95%

RATES OF RESPIRATION

Temperature		ml CO ₂ /kg-hr
°C	°F	
0	32	2-4
5	41	5-8
10	50	9-12
20	68	20-30

To calculate heat production, multiply ml CO₂/kg-hr by 440 to get BTU/ton/day or by 122 to get kcal/metric ton/day.

RATES OF ETHYLENE PRODUCTION

Temperature	0°C (32°F)	5°C (41°F)	10°C (50°F)	20°C (68°F)
ul C ₂ H ₄ /kg-hr	0.4-0.8	0.8-1.5	1.5-3.0	4.0-6.0

RESPONSES TO ETHYLENE

Figs are slightly sensitive to ethylene action on stimulating softening and decay severity, especially if kept at 5°C (41°F) or higher temperatures.

Produce Facts

RESPONSES TO CONTROLLED ATMOSPHERES (CA)

CA combinations of 5-10% oxygen and 15-20% carbon dioxide are effective in decay control, firmness retention, and reduction of respiration and ethylene production rates. Postharvest-life at optimum temperature and relative humidity depends upon cultivar and ripeness stage at harvest and ranges from 1 to 2 weeks in air and from 3 to 4 weeks in CA for California-grown 'Black Mission' and 'Calimyrna' figs.

PHYSIOLOGICAL AND PHYSICAL DISORDERS

CA-related disorders. Extended storage in CA can result in loss of characteristic flavor. Figs exposed to less than 2% oxygen and/or more than 25% carbon dioxide develop off-flavors due to fermentative metabolism.

PATHOLOGICAL DISORDERS

Alternaria rot. Caused by *Alternaria tenuis*, appears as small, round, brown-to-black spots over the fruit surface. Any cracks on the skin make the fruit more susceptible to the rot.

Black mold rot. Caused by *Aspergillus niger*, appears as dark or yellowish spots in the flesh with no external symptoms. At advanced stages the skin and flesh turn slightly pink color and white mycelia with black spore masses follow.

Endosepsis (soft rot). Caused by *Fusarium moniliformis*, appears in the cavity of the fig making the pulp soft, watery and brown with sometimes an offensive odor.

Souring. Caused by various yeasts and bacteria, is a preharvest problem resulting from yeasts and bacteria carried into the figs by insects, especially vinegar flies, resulting in smells of alcohol or acetic acid.

CONTROL OF POSTHARVEST DISEASES

- Control of orchard insects to reduce fruit damage and transmission of fungi.
- Effective control of preharvest diseases.
- Strict sanitation of picking and transporting containers.
- Careful handling to minimize abrasions, cracks, and other physical damage.
- Do not pick figs for fresh market from the ground.
- Prompt cooling to 0°C (32°F) and maintaining the cold chain all the way to the consumer.

POSTHARVEST PHOTO GUIDE

MATURITY AND QUALITY



SIERRA FIG MATURITY



BROWN TURKEY FIG MATURITY



QUALITY

DISORDERS



Air 0°C Air 5°C 3%O₂ + 6%CO₂ 3%O₂ + 12%CO₂ 3%O₂ + 18%CO₂

TEMPERATURE AND CA EFFECTS ON SIERRA FIGS



DECAY FOLLOWS PHYSICAL DAMAGE



Air 0°C Air 5°C 3%O₂ + 6%CO₂ 3%O₂ + 12%CO₂ 3%O₂ + 18%CO₂

TEMPERATURE AND CA EFFECTS



It is the policy of the University of California not to engage in discrimination against or harassment of any person, employed by or seeking employment with the University, or in any of its programs or activities, on the basis of race, color, national origin, religion, sex, gender, gender expression, gender identity, pregnancy, physical or mental disability, medical condition (cancer-related or genetic characteristics), genetic information (including family medical history), ancestry, marital status, age, sexual orientation, citizenship, or service in the uniformed services, as well as state military and naval service. This policy is intended to be consistent with the provisions of applicable state and federal laws and University policies. University policy also prohibits retaliation against any employee or person seeking employment for bringing a complaint of discrimination or harassment pursuant to this policy. This policy also prohibits retaliation against a person who assists someone with a complaint of discrimination or harassment, or participants in any manner in an investigation or resolution of a complaint of discrimination or harassment. Retaliation includes threats, intimidation, reprisals, and/or adverse

In addition, it is the policy of the University of California to undertake affirmative action, consistent with its obligations as a Federal Contractor, for minorities and women, for persons with disabilities, and for covered veterans. The University commits itself to apply every good faith effort to achieve prompt and full utilization of minorities and women in all segments of its workforce where deficiencies exist. These efforts conform to all current legal and regulatory requirements, and are consistent with University standards of quality and excellence. In conformance with Federal regulations, written affirmative action plans shall be prepared and maintained by each campus of the University of California, by the Lawrence Berkeley National Laboratory, by the Office of the President, and by the Division of Agriculture and Natural Resources. Such plans shall be reviewed and approved by the Office of the President and the Office of the General Counsel before they are officially promulgated. Inquiries regarding the University's equal employment opportunity policies may be directed to the Affirmative Action Contact, University of California, Agriculture and Natural Resources, 2801 Second Street, Davis, CA 95618 (530) 750-1318.